

SPOT

LS.NN.281.OTA.FI



OFFICINA DELLA LUCE

N° LED	W	Lm to the light source	-A-				R / V / B	٥			
07	8,4	800	350mA	IP40	DIFFUSE - 7° -	25° - 40°	-	-	2700K	3000К 4000К	
Model		Description			Dimensions 72 x 72 x 66mm	Housin hole	-	Formwork flush with the ceiling for drywall, the spotlight is recessed		Formwork for masonry	
		 Recessed flush with the ceiling Led light body in aluminum. Squared emission hole. Finish: silver grey anodized, other colors on request. Screen: transparent. It is provided with 25cm bipolar cable for the electrical connection. Indoor installation: with Ø 65mm hole directly on drywall; on drywall 13mm depth, with suitable formwork flush with the ceiling, the spotlight is recessed; on masonry with suitable formwork. Useful depth 110mm. Assembly with torsion springs. 			Ø 63	Hole Ø 65 m	of		150 ywall for the insertion rk CF Q80.045	0 0 0 0 0 0 0 0 0 0 0 0 0 0	
Installation on drywall											
Housing hole Ø 65 mm											
For applicatio		Carry out the hole 80x80mm and	Fix the formwork		Carry out the finish		Carry out the electrical connection			Final result	
tormw	formwork insert the formwork with two screws of the ceiling						respecting the polarity. Insert in position.				
Series electrical connection 350mA SELV. POLARITY: <u>RED cable</u> + BLACK cable -							Connection: Connector compliant with EN 60998-2-1 standards				
							(FACSIMILE)				
							di la constante de				
ATTENTION: Before starting all electrical connections, make sure that the power supply is not powered. If this simply rule is not respected, the lighting source will be irremediably damaged.											
CE	(EMC, RoHs, Ec	with European standards odesign and requirements specified ow Voltage Directive (LVD))	CLASS III Operating with SELV	By remote	POWER SUPPLY e power supply SELV OUTPUT 350mA constant current		Separate waste collection of electric and electronic equipment			Made in Italy Projected, manufactured and assembled in Italy	
HI Project Srl Via Mario Luciani 4/E - 32032 Feltre (BL) Tel. 0439 310098 <u>info@hiproject.it</u> <u>www.brillamenti.it</u> CF - PI e n. isc. reg. imprese 00967030255											